Plant and Soil **165**: 349–353, 1994.

Contents Volume 165 (1994)

PROCEEDINGS OF A WORKSHOP ON BELOWGROUND RESPONSES TO RISING ATMOSPHERIC CO_2: IMPLICATIONS FOR PLANTS, SOIL BIOTA, AND ECOSYSTEM PROCESSES

May 29–June 2, 1993, University of Michigan Biological Station, Pellston, Michigan, USA

Guest Editors: P.S. CURTIS, E.G. O'NEILL, J.A. TEERI, D.R. ZAK and K.S. PREGITZER

Belowground responses to rising atmospheric CO_2: Implications for plants, soil biota and ecosystem processes. Executive summary 1
P.S. Curtis, E.G. O'Neill, J.A. Teeri, D.R. Zak, K.S. Pregitzer

ROOT BIOLOGY

Issues and perspectives for investigating root responses to elevated atmospheric carbon dioxide 9
R.J. Norby

Root response to CO_2 enrichment and nitrogen supply in loblolly pine 21
A. Larigauderie, J.F. Reynolds, B.R. Strain

Free-air CO_2 enrichment of cotton: Vertical and lateral root distribution patterns 33
S.A. Prior, H.H. Rogers, G.B. Runion, G.R. Hendrey

Above- and belowground response of *Populus grandidentata* to elevated atmospheric CO_2 and soil N availability 45
P.S. Curtis, D.R. Zak, K.S. Pregitzer, J.A. Teeri

SOIL BIOTA

Responses of soil biota to elevated atmospheric carbon dioxide 55
E.G. O'Neill

Soil microbial response in tallgrass prairie to elevated CO_2 67
C.W. Rice, F.O. Garcia, C.O. Hampton, C.E. Owensby

The response of mycorrhizal colonization to elevated CO_2 and climate change in *Pascopyrum smithii* and *Bouteloua gracilis* 75
C.A. Monz, H.W. Hunt, F.B. Reeves, E.T. Elliott

Effect of elevated CO_2 on mycorrhizal colonization of loblolly pine (*Pinus taeda* L.) seedlings 81
J.D. Lewis, R.B. Thomas, B.R. Strain

Evaluation of the use of a model rhizodeposition technique to separate root and microbial respiration in soil 89
J. Swinnen

ECOSYSTEM PROCESSES

Biomass production in a nitrogen-fertilized, tallgrass prairie ecosystem exposed to ambient and elevated levels of CO_2 105
C.E. Owensby, L.M. Auen, P.I. Coyne

Effects of elevated CO_2 and nitrogen fertilization pretreatments on decomposition on tallgrass prairie leaf litter 115
P.R. Kemp, D.G. Waldecker, C.E. Owensby, J.F. Reynolds, R.A. Virginia

Soil pCO_2, soil respiration, and root activity in CO_2-fumigated and nitrogen-fertilized ponderosa pine 129
D. Johnson, D. Geisinger, R. Walker, J. Newman, J. Vose, K. Elliot, T. Ball

Enhanced root system C-sink activity, water relations and aspects of nutrient acquisition in mycotrophic *Bouteloua gracilis* subjected to CO_2 enrichment 139
J.A. Morgan, W.G. Knight, L.M. Dudley, H.W. Hunt

MODELLING

Modelling the belowground response of plants and soil biota to edaphic and climatic change – What can we expect to gain? 149
S.D. Wullschleger, J.P. Lynch, G.M. Berntson

Carbon cost of root systems: An architectural approach 161
K.L. Nielsen, J.P. Lynch, A.G. Jablokow, P.S. Curtis

Selected papers from the

SEVENTH INTERNATIONAL SYMPOSIUM ON IRON NUTRITION IN SOILS AND PLANTS

June 27–July 2, 1993, Zaragoza, Spain

Guest Editor: J. ABADÍA

Purification and characterization of nicotianamine synthase from Fe-deficient barley roots 173
K. Higuchi, K. Kanazawa, N.-K. Nishizawa, M. Chino, S. Mori

Phloem translocation of Fe, Cu, Mn, and Zn in *Ricinus* seedlings in relation to the concentrations of nicotianamine, an endogenous chelator of divalent metal ions, in different seedling parts 181
U.W. Stephan, I. Schmidke, A. Pich

Iron-dependent changes of heavy metals, nicotianamine, and citrate in different plant organs and in the xylem exudate of two tomato genotypes. Nicotianamine as possible copper translocator 189
A. Pich, G. Scholz, U.W. Stephan

Transfer cell formation in sugar beet roots induced by latent Fe deficiency 197
E.-C. Landsberg

Effects of various inhibitors on *in vivo* reduction by *Plantago lanceolata* L. roots 207
W. Schmidt

Effect of root exudates on mobilization in the rhizosphere and uptake of iron by wheat plants 213
F. Awad, V. Römheld, H. Marschner

A comparison of extraction methods for evaluating Fe and P in flooded rice soils 219
H. Shahandeh, L.R. Hossner, F.T. Turner

Metal uptake by iron-efficient and inefficient oats 227
M.J. Mench, S. Fargues

Plant growth and nutrient uptake characteristics of Fe-deficiency chlorosis susceptible and resistant subclovers 235
L.C. Wei, W.R. Ocumpaugh, R.H. Loeppert

Iron reductase systems on the plant plasma membrane – A review 241
P.R. Moog, W. Brüggemann

Strategies of plants for acquisition of iron 261
H. Marschner, V. Römheld

Iron availability in plant tissues – Iron chlorosis on calcareous soils 275
K. Mengel

Short communication

Biosynthesis of avenic acid A in oat cv. Onward: Studies with ^{14}C or ^{15}N labeled compounds 285
S. Kawai, O. Sasaki, Y. Hayasaka, S.-I. Takagi

Proceedings of

THE FIRST SYMPOSIUM OF THE JAPANESE SOCIETY FOR ROOT RESEARCH (JSRR): TROPISMS AND OTHER ROOT MOVEMENTS IN ROOT SYSTEM FORMATION

September 4, 1993, The University of Tokyo, Bunkyo-ku, Tokyo, Japan

Guest Editors: T. NAKAMOTO, J. ABE, S. MORITA, A. OYANAGI and P.W. BARLOW

Root movements: Towards an understanding through attempts to model the processes involved 293
P.W. Barlow, H.E. Zieschang

Hydrotropism and its interaction with gravitropism in roots 301
H. Takahashi

Automorphogenesis of maize roots under simulated microgravity conditions 309
T. Hoson

Contributions of the surface of the root tip to the growth of *Zea* roots in soil 315
M.E. McCully, M.J. Canny

Gravitropic response growth angle and vertical distribution of roots of wheat (*Triticum aestivum* L.) 323
A. Oyanagi

Plagiogravitropism of maize roots 327
T. Nakamoto

Growth direction of nodal roots in rice: Its variation and contribution to root system formation 333
J. Abe, S. Morita

Modelling the branching growth fractal pattern of the maize root system 339
S. Shibusawa

Contents Volume 165 (1994) 349

Author index 353

Instructions to authors (1994) 355